

:: UNIFLEX Glas Fast-Cleaner

glass cleaner / -activator

CHARACTERISTICS

Uniflex Glas Fast-Cleaner is a surface Cleaner / Activator. It is used to clean and at same time to prepare for the next step by leaving a residual film on the ceramic surface to which the Uniflex Glas Fast-Primer will be applied.

APPLICATION

Ensure thorough cleaning of the substrate. Impregnate a lint free cloth with Uniflex Glas Fast-Cleaner and leave to dry for 1-2 minutes.

PRODUCT DATA

Density at 20°C: 0.80 +/- 0.02 g/ml

Drying time: 1-2 min.

Odour: Characteristic of solvent

Appearance: Clear transparent liquid free of foreign matters

Water content by Karl-Fischer: Less than 0.1%

PRECAUTIONS



03/2021

Uniflex Glas Fast-Cleaner can be stored for 12 months in it's original packing at 5° - 25°C.

Keep away from heat sources.

SAFETY ISSUES

The before mentioned technical data and information, especially the recommendations for applying and using our products, are based on our current knowledge and experience when applied under normal conditions. In practice, the materials, surfaces or site conditions are so different that no warranty regarding the working results or liability, arising out of any relationship, can be inferred neither from this information nor from a verbal consultation, except we are charged with intent or gross negligence. In this case the user is obliged to prove that he has informed us about all points required for a proper and promising judgement in writing, in time and completely. Patent rights of any third party are to be observed. Furthermore, our general sales and delivery Terms and Conditions and the latest Technical Data Sheet, which should be demanded, apply. Directions for handling and waste disposal are in our Material Safety Data Sheet and the specifications of the Employers Liability Insurance Association for the chemical industry.

Copyright VOSSCHEMIE